



BBT nv
 Nijverheidsstraat 21
 2960 Sint-Job-in 't-Goor
 Tel +32 (0)3 633 22 22
 Fax +32 (0)3 633 09 50
 info@bbt4vw.com



BBT 's Performance camshafts

Engle Camshafts for 1.1 or 1.25 rockers / Type 1

	Grind-PN	Duration	Duration @ 0.50	Lift @ Cam(in)	Lift @ Valve (1.1)	Lift @ Valve (1.25)
1625	Engle w-100	276	236	0.383	0.421	0.478
1626	Engle w-110	284	247	0.392	0.431	0.491
1627	Engle w-120	294	253	0.397	0.435	0.496
1628	Engle w-125	301	262	0.418	0.460	0.522
1629	Engle w-130	308	267	0.419	0.461	0.524
1629-1	Engle w-140	313	274	0.424	0.465	0.530

Engle Camshafts for 1.1 rockers 108° Lobe Centre / Type 1

	Grind	Duration	Duration @ 0.50	Lift @ Cam(in)	Lift @ Valve (1.1)
1629-10	Engle VZ-14	274	242	0.420	0.462
1629-11	Engle VZ-15	279	250	0.435	0.478
1629-12	Engle VZ-25	286	256	0.429	0.471
1629-13	Engle VZ-30	298	262	0.461	0.507
1629-14	Engle VZ-35	309	278	0.448	0.492

Engle Cams for 1.4 or 1.5 rockers / Type 1

	Grind	Duration	Duration @ 0.50	Lift @ Cam(in)	Lift @ Valve (1.4)	Lift @ Valve (1.5)
1629-21	Engle FK7	288	244	0.357	0.500	0.535
1629-22	Engle FK8	298	258	0.382	0.534	0.573
1629-23	Engle FK10	310	266	0.385	0.539	0.577
1629-20	Engle FK65	280	236	0.342	0.478	0.513
1629-24	Engle FK87	320	276	0.401	0.561	0.601
1629-25	Engle FK89	328	282	0.416	0.582	0.624
1629-26	Engle FK97	328	287	0.443	0.622	0.664
1629-27	Engle FK98	332	291	0.446	0.624	0.669

Engle Turbo Cams for 1.1 or 1.25 rockers 112° Lobe Centre / Type 1

	Grind	Duration	Duration @ 0.50	Lift @ Cam(in)	Lift @ Valve (1.1)	Lift @ Valve (1.25)
1629-30	TCS10	284	247	0.392	0.430	0.490
		276	236	0.382	0.420	0.477
1629-31	TCS20	294	253	0.397	0.435	0.496
		284	247	0.392	0.430	0.490

Web Cam Camshafts for 1.1 or 1.25 rockers / Type 4

	Grind	Duration	Duration @ 0.50	Lift @ Cam(in)	Lift @ Valve (1.1)	Lift @ Valve (1.25)
1629-70			0.210/0.205	0.302/0.283	0.332/0.311	0.378/0.354
1629-72	86	270	234	0.325	0.358	0.406
1629-74	163	284	249	0.383	0.422	0.479
1629-76	110	284	256	0.395	0.435	0.493

Web Cam Camshafts for 1.4 or 1.5 rockers / Type 4

	Grind	Duration	Duration @ 0.50	Lift @ Cam(in)	Lift @ Valve (1.4)	Lift @ Valve (1.5)
1629-73	86A	290	252	0.334	0.468	0.501
1629-75	86B	300	260	0.383	0.536	0.574
1629-77	86C	310	272	0.391	0.546	0.586
1629-78	251	324	285	0.421	0.588	0.631
1629-79	277	320	288	0.441	0.616	0.661